BIBLIOGRAPHY

1. OP Patidar, Higher Prevalence Rate of CHD in 'Apple Type of Obesity' Cases as Compared to 'Pear Type Obesity' Cases, Indian Journal of Clinical Practice, Vol. 23, No. 12, May 2013
2. International Obesity Taskforce and European Association for the Study of Obesity (2002) Obesity in Europe – The Case for Action.
3. World Health Organisation (2003) Fact sheet on Obesity and Overweight.
4. World Health Organization. Regional Office for Southeast Asia. Hypertension fact sheet. Last accessed at http://www.searo.who.int/linkfiles/non_communicable_diseases_hypertension-fs.pdf [April 2012]
5. Global Atlas on Cardiovascular Disease Prevention and Control. Mendis S, Puska P, Norrving B editors. World Health Organization (in collaboration with the World Heart Federation and World Stroke Organization), Geneva 2011.
6. Sowers JR, Epstein M, Frohlich ED. Diabetes, hypertension, and cardiovascular disease. Hypertension. 2001;37:1053–1059.]
7. Cardiovascular Disease Foundation. "What is Cardiovascular Disease?" Available at http://www.cvdf. org/. Date Accessed: September 19, 2011.
8. National Heart, Lung, and Blood Institute. "What Is Heart Disease?" Available at http://www.nhlbi. nih.gov/health/health-topics/topics/hdw/. Date Accessed: September 19, 2011
9. Roger VL, Lloyd-Jones D, Berry JD, et al. (2011). Heart Disease and Stroke Statistics 2011 Update: A Report from the American Heart Association. Circulation 123(4):e18-e209.]
10. National Heart Foundation in association with the Faculty of Public Health and Department of Health, 2007. Lightening the load: tackling overweight and obesity: a toolkit for developing local strategies to tackle overweight and obesity in children and adults. [Online] London: Department of Health. Available at: http://www.dh.gov.uk/en/Publicationsandstatistics/ Publications/Publications Policy And Guidance /DH_073936 [Accessed May 2009].
11. Hu F. Obesity epidemiology. Oxford: Oxford university press, 2008;87-97
12. Reddy KS. Cardiovascular disease in non-Western countries. *N Engl J Med*. 2004;350(24):2438–2440.
13. Murray CJ, Lopez AD. Global mortality, disability, and the contribution of risk factors: Global Burden of Disease Study. *Lancet*. 1997; 349(9063):1436–1442.
14. Kahn CR: Banting Lecture. Insulin action, diabetogenes, and the cause of type II diabetes. *Diabetes* 1994, 43:1066-84. | Pdf | PubMed
15. World Health Organization. *Obesity: Preventing and Managing the Global Epidemic. Report of a WHO Consultation on Obesity*. Geneva: World Health Organization, 2000.

16. Frayling TM, Timpson NJ, Weedon MN, Zeggini E, Freathy RM, Lindgren CM, Perry JRB, Elliott KS, Lango H, Rayner NW, Shields B, Harries LW, Barrett JC, Ellard S, Groves CJ, Knight B, Patch AM, Ness AR, Ebrahim S, Lawlor DA, Ring SM, Ben-Shlomo Y, Jarvelin MR, Sovio U, Bennett AJ, Melzer D, Ferrucci L, Loos RJF, Barroso I, Wareham NJ, Karpe F, Owen KR, Cardon LR, Walker M, Hitman GA, Palmer CNA, Doney ASF, Morris AD, Smith GD,Hattersley AT, McCarthy MI, Control WTC: A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. Science 2007, 316:889-894.
17. Scuteri A, Sanna S, Chen WM, Uda M, Albai G, Strait J, Najjar S, Nagaraja R, Orru M, Usala G, Dei M, Lai S, Maschio A, Busonero F, Mulas A, Ehret GB, Fink AA, Weder AB, Cooper RS, Galan P, Chakravarti A, Schlessinger D, Cao A, Lakatta E, Abecasis GR: Genome-wide association scan shows genetic variants in the FTO gene are associated with obesity-related traits. Plos Genetics 2007, 3:1200-1210.
18. Dina C, Meyre D, Gallina S, Durand E, Korner A, Jacobson P, Carlsson LMS, Kiess W, Vatin V, Lecoeur C, Delplanque J, Vaillant E, Pattou F, Ruiz J, Weill J, Levy-Marchal C, Horber F, Potoczna N, Hercberg S, Le Stunff C, Bougneres P, Kovacs P, Marre M, Balkau B, Cauchi S, Chevre JC, Froguel P: Variation in FTO contributes to childhood obesity and severe adult obesity. Nature Genetics 2007, 39:724-726.
19. Wild S, Roglic G, Green A, Sicree R, King H. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. Diabetes Care 2004;27:1047- 1053.
20. Frayling TM, Timpson NJ, Weedon MN, et al. A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. Science 2007;316:889-894.
21. Scuteri A, Sanna S, Chen WM, et al. Genome-wide association scan shows genetic variants in the FTO gene are associated with obesity-related traits. PLoS Genet 2007;3:e115.
22. Thorleifsson G, Walters GB, Gudbjartsson DF, et al. Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. Nat Genet 2009;41:18-24.
23. Willer CJ, Speliotes EK, Loos RJ, et al. Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. Nat Genet 2009;41: 25-34.
24. Sanghera DK, Ortega L, Han S, et al. Impact of nine common type 2 diabetes risk polymorphisms in Asian Indian Sikhs: PPARG2 (Pro12Ala), IGF2BP2, TCF7L2 and FTO variants confer a significant risk. BMC Med Genet 2008;9:59.
25. Yajnik CS, Janipalli CS, Bhaskar S, et al. FTO gene variants are strongly associated with type 2 diabetes in South Asian Indians. Diabetologia 2009;52:247-252.
26. Chauhan G, Tabassum R, Mahajan A, et al. Common variants of FTO and the risk of obesity and type 2 diabetes in Indians. J Human Genet 2011;56:720-726.

27. Janipalli CS, Kumar MV, Vinay DG, et al. Analysis of 32 common susceptibility genetic variants and their combined effect in predicting risk of Type 2 diabetes and related traits in Indians. Diabet Med 2012;29:121-127.
28. Ramya K, Radha V, Ghosh S, Majumder PP, Mohan V. Genetic variations in the FTO gene are associated with type 2 diabetes and obesity in south Indians (CURES-79). Diabetes Technol Therap 2011;13:33-42.
29. Frayling, T.M., Timpson, N.J., Weedon, M.N., Zeggine, E., Freathy, R.M., Lindgren, C.M. Perry, J.R., Elliott, K.S., Lango, H., Rayner, N.W., Shields, B., Harries, L.W., Barrett, J.C., Ellard, S., Groves, C.J., Knight, B., Patch, A.M., Ness, A.R., Ebrahim, S., Lawlor, D.A., Ring, S.M., Ben-Shlomo, Y., Jarvelin, M.R., Sovio, U., Bennett, A.J., Melzer, D., Ferrucci, L., Loos, R.J., Barroso, I., Wareham, N.J., Karpe, F., Owen, K.R., Cardon, L.R., Walker, M., Hitman, G.A., Palmer, C.N., Doney, A.S., Morris, A.D., Smith, G.D., Hattersley, A.T. & McCarthy, M.I. 2007. A common variant in the *FTO* gene is associated with body mass index and predisposes to childhood and adult obesity. *Science* 316: 889-894.
30. Legry, V., Cottel, D., Ferrieres, J., Arveiler, D., Andrieux, N., Bingham, A., Wagner, A., Ruidavets, J.B., Ducimetière, P., Amouyel, P. & Meirhaeghe, A. 2009. Effect of an *FTO* polymorphism on fat mass, obesity, and type 2 diabetes mellitus in the French MONICA study. *Metabolism Clinical and Experimental* 58: 971-975.
31. Webb GP. Nutrition: A Health Promotion Approach. 2nd edition, Arnold Publishers: London 2002:p.186.]
32. Coutinho T, Goel K, Corrêa de Sá D, Kragelund C, Kanaya AM, Zeller M, et al. Central obesity and survival in subjects with coronary artery disease: a systematic review of the literature and collaborative analysis with individual subject data. J Am Coll Cardiol 2011;57(19):1877-86.
33. Smita t patil et.al Correlation of Blood Sugar with Waist Circumference and Body Mass Index in an Indian Population. Global Journal of Pharmacology 6 (1): 08-11, 2012.ISSN 1992-0075.© IDOSI Publications, 2012
34. Olumide A Abiodun et.al. Correlation between Body mass index, Waist Hip ratio, blood sugar levels and blood pressure in apparently healthy adult Nigerians *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN: 2279-0853, p-ISSN: 2279-0861.Volume 13, Issue 11 Ver. VII (Nov. 2014), PP 56-61*
35. Huang Z, Willet WC, Manson JE, Rosner B, Stampfer MJ, Speizer FE, Colditz GA. Body weight, weight change, and risk for hypertension in women. *Ann Intern Med* 1998;128:81- 88.
36. King DS, Wofford MR. Obesity and hypertension. *Drug Topics* 2000;3 January:59-66.
37. Mertens IL, Van Gaal LF. Overweight, obesity, and blood pressure: the effects of modest weight reduction. *Obes Res* 2000;8:270-278.
38. Anjum Humayun,et.al. RELATION OF HYPERTENSION WITH BODY MASS INDEX AND AGE IN MALE AND FEMALE POPULATION OF PESHAWAR, PAKISTAN, J Ayub Med Coll Abbottabad 2009;21(3)

39. Chan JM, Rimm EB, Colditz GA, Stampfer MJ, Willett WC. Obesity, fat distribution, and weight gain as risk factors for clinical diabetes in men. *Diabetes Care* 1994;17:961-969.
40. Colditz GA, Willett WC, Rotnitzky A, Manson JE. Weight gain as a risk factor for diabetes mellitus in women. *Ann Intern Med* 1995;122:481-486.
41. Caterson ID. Obesity, part of the metabolic syndrome. *Clin Biochemist Rev* 1997;18(i):11-21.
42. Kushner RF. Managing obesity: a call to action. Presentation given to the Academy of Managed Care Pharmacy in Minneapolis on April 28, 1999.
43. Dietz WH. Overweight and precursors of type 2 diabetes mellitus in children and adolescents. *J Pediatr* 2001;138(4).
44. Study links weight and diabetes in kids. Online. ABC News. 15 March 2002. <http://abcnews.go.com/sect.../DailyNews/WIREkids_diabetes020314.html>.
45. Arshad Parvez, Ihsanullah,et.al. RELATIONSHIP OF GLYCAEMIA AND TRIGLYCERIDES WITH BMI IN DIABETIC PATIENTS. J Ayub Med Coll Abbottabad 2010;22(2)
46. Khaodhiar L, McCowen KC, Blackburn GL. Obesity and its comorbid conditions. *Clin Cornerstone* 1999;2:17-31.
47. Myers MD. Complications of obesity. Online. 13 May 2002. <http://www.weight.com/complications/complications.html>.
48. Hardev Singh Sandhu,et.al. A Study of Correlation between Lipid Profile and Body Mass Index (BMI) in Patients with Diabetes Mellitus, J. Hum. Ecol., 24(3): 227-229 (2008).
49. Hubert HB, Feinleib M, McNamara PM, Castelli WP. Obesity as an independent risk factor for cardiovascular disease: a 26-year follow-up of participants in the Framingham Heart Study. *Circulation* 1983;67:968-977.
50. Khaodhiar L, McCowen KC, Blackburn GL. Obesity and its comorbid conditions. *Clin Cornerstone* 1999;2:17-31.
51. Romero-Corral A, Montori VM, Somers VK, Korinek J, Thomas RJ, Allison TG, et al. Association of bodyweight with total mortality and with cardiovascular events in coronary artery disease: a systematic review of cohort studies. Lancet 2006;368(9536):666-78.
52. Lavie CJ, Milani RV, Ventura HO. Obesity and cardiovascular disease: risk factor, paradox, and impact of weight loss. J Am Coll Cardiol 2009;53(21):1925-32.
53. Després JP. Excess visceral adipose tissue/ectopic fat the missing link in the obesity paradox? J Am Coll Cardiol 2011;57(19):1887-9.
54. Després JP, Lemieux I, Bergeron J, Pibarot P, Mathieu P, Larose E, et al. Abdominal obesity and the metabolic syndrome: contribution to global cardiometabolic risk. Arterioscler Thromb Vasc Biol 2008;28(6):1039-49.
55. Després JP, Moorjani S, Lupien PJ, Tremblay A, Nadeau A, Bouchard C. Regional distribution of body fat, plasma lipoproteins, and cardiovascular disease. Arteriosclerosis 1990;10(4):497-511.
56. Coutinho T, Goel K, Corrêa de Sá D, Kragelund C, Kanaya AM, Zeller M, et al. Central obesity and survival in subjects with coronary artery disease: a systematic review of the

literature and collaborative analysis with individual subject data. J Am Coll Cardiol 2011;57(19):1877-86.

57. Margot Shields et,al. Abdominal obesity and cardiovascular disease risk factors within body mass index categories, Health Reports, Vol. 23, no. 2, June 2012 • Statistics Canada, Catalogue no. 82-003-XPE
58. Balsam Mahdi Nasir Al-Zurfi,et.al. Waist Height Ratio Compared to Body Mass Index and Waist Circumference in Relation to Glycemic Control in Malay Type 2 Diabetes Mellitus Patients, Hospital Universiti Sains Malaysia, *International Journal of Collaborative Research on Internal Medicine & Public Health*, Vol. 4 No. 4 (2012)
59. Onyesom Innocent1,et.al. Correlation between body mass index and blood glucose levels among some Nigerian undergraduates, *HOAJ Biology* 2013 doi: 10.7243/2050-0874-2-4
60. Kamrun Nahar Choudhury,et.al. Serum lipid profile and its association with hypertension in Bangladesh, Vascular Health and Risk Management 2014:10 327–332
61. ONI OA,et.al. The Effects of Obesity on Hypertension: Does Increase in Body Mass Index Equates Persistent and Poor Control of Hypertension in Nigeria?, International Journal of Medicine and Medical Sciences (ISSN: 2315-9844) Vol. 1(5) pp. 60-64, May, 2014
62. Yajnik CS. The lifecycle effects of nutrition and body size on adult adiposity, diabetes and cardiovascular disease. Obes Rev 2002;3:217-224.
63. Frayling TM, Timpson NJ, Weedon MN, et al. A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. Science 2007;316:889-894.
64. Scuteri A, Sanna S, Chen WM, et al. Genome-wide association scan shows genetic variants in the FTO gene are associated with obesity-related traits. PLoS Genet 2007;3:e115.
65. Saunders CL, Chiodini BD, Sham P, et al. Meta-analysis of genome-wide linkage studies in BMI and obesity. Obesity (Silver Spring) 2007;15:2263-2275.
66. Loos RJ, Lindgren CM, Li S, et al. Common variants near MC4R are associated with fat mass, weight and risk of obesity. Nat Genet 2008;40:768-775.
67. Thorleifsson G, Walters GB, Gudbjartsson DF, et al. Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. Nat Genet 2009;41:18-24.
68. Willer CJ, Speliotes EK, Loos RJ, et al. Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. Nat Genet 2009;41: 25-34.
69. Speliotes EK, Willer CJ, Berndt SI, et al. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nat Genet 2010; 42:937-948.
70. Li H, Kilpelainen TO, Liu C, et al. Association of genetic variation in FTO with risk of obesity and type 2 diabetes with data from 96,551 East and South Asians. Diabetologia 2012;55:981-995.
71. Lindgren CM, Heid IM, Randall JC, et al. Genome-wide association scan meta analysis identifies three Loci influencing adiposity and fat distribution. PLoS Genet 2009;5:e1000508.
72. Vasan SK, Fall T, Neville MJ, et al. Associations of variants in FTO and near MC4R with obesity traits in South Asian Indians. Obesity 2011;20(11):2268–2277.

73. Heid IM, Jackson AU, Randall JC, et al. Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nat Genet 2010;42:949-960.
74. Sihua Peng1, Yimin Zhu2, Fangying Xu1, Xiaobin Ren2, Xiaobo Li1 and Maode Lai1*FTO gene polymorphisms and obesity risk: a meta-analysis, Peng et al. BMC Medicine 2011, 9:71
75. Meyre D. Is FTO a type 2 diabetes susceptibility gene? Diabetologia 2012;55:873- 876.
76. Wei-Wei Chey, Sook-H aFan & Yee-H owSay* Association of Fat Mass and Obesity-Associated (FTO) Gene rs9939609 Variant with Obesity Among Multi-Ethnic Malaysians in Kampar, Perak (Kaitan Gen Jisim Lemak dan Berkaitan Obesiti (FTO) Polimorfisma rs9939609 dengan Obesiti dalam Masyarakat Berbilang Etnik Malaysia di Kampar, Perak) , Sains Malaysiana 42(3)(2013): 365–371
77. Senthil K. Vasan1,2, Fredrik Karpe3,4, Harvest F. Gu1, Kerstin Brismar1, Caroline H. Fall5, Erik Ingelsson6 and Tove Fall6, FTO Genetic Variants and Risk of Obesity and Type 2 Diabetes: A Meta-Analysis of 28,394 Indians, Obesity (2014) 22, 964–970.
78. Durnin JVGA, Rahaman MM. The assessment of the amount of fat in the human body from measurements of skinfold thickness. Br3'Nutr 1967; 21: 681-8.
79. Slaughter MH, Lohman TG, Boileau RA, et al. Skinfold equations for estimation of body fatness in children and youth. Hum Biol 1988; 60: 709-23.
80. Johnston JL, Leong MS, Checkland EG, Zuberbahler PC,Conger PR, Quinney HA. Body fat assessed from body density and estimated from skinfold thickness in normal 310 Reilly, Wilson, Durnin children and children with cystic fibrosis. Am Jf Clin Nutr 1988; 48: 1362-6.
81. Brook CGD. Determination of body composition of children from skinfold measurements. Arch Dis Child 1971; 46: 182-4.
82. Deurenberg P, Pieters JJL, Hautvast JGAJ. The assessment of the body fat percentage by skinfold thickness measurements in childhood and young adolescence. Br J Nutr 1990; 63: 293-303.
83. National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). Third report of the National Cholesterol Education Program Expert Panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III) final report. *Circulation.* 2002;106(25):3143–3421.
84. Adeela Shahid,1,2 Sobia Rana,1 Shahid Saeed,3 Muhammad Imran,1Nasir Afzal,4 and Saqib Mahmood5 Common Variant of *FTO* Gene, rs9939609, and Obesity in Pakistani Females, Hindawi Publishing Corporation BioMed Research International Volume 2013, Article ID 324093, 7 pages http://dx.doi.org/10.1155/2013/324093